FINDINGS OF FACT AND CONCLUSIONS OF LAW

The Petitioner herein requests a variance to permit a window to property line setback of 2'2" in lieu of the required 15 feet, and to amend the first amended partial development plan of Suburbia, Section 1, for a proposed attached garage in accordance with Petitioner's Exhibit 1.

The Petitioner having filed a Petition for Residential Variance and the subject property having been posted and there being no requests for public hearing, a decision shall be rendered based upon the documenta-

The Petitioner has filed the supporting affidavits as required by Section 22-26 (b)(1) of the Baltimore County Code. Based upon the information available, there is no evidence in the file to indicate that the requested variances would adversely affect the health, safety or general welfare of the public and should therefore be granted. While the subject dwelling is located on a corner lot fronting Brimley Court, the proposed garage addition will be placed on the inside side yard. The Petitioner also has the support of the Architectural Standards Committee for the Homeowner's Association, and attached acknowledement by the adjoining affected property owner, as evidenced by Petitioner's Exhibit 4. In the opinion of the Zoning Commissioner, the information, pictures, and affidavits submitted provide sufficient facts that comply with the requirements upon the Petitioners.

both the Baltimore County Code and the B.C.Z.R. having been met, and for the reasons set forth above, the relief requested should be granted.

THEREFORE, IT IS ORDERED by the Zoning Commissioner for Baltimore County this Muday of Mul., 1990 that the Petition for Residential Variance to permit a window to property line setback of 2'2" in lieu of the required 15 feet, and to amend the first amended partial development plan of Suburbia, Section 1, for a proposed attached garage, in accordance with Petitioner's Exhibit 1, be and is hereby GRANTED, subject, however, to the following restrictions which are conditions precedent to the relief

> 1) The Petitioners may apply for their building permit and be granted same upon receipt of this Order; however, Petitioners are hereby made aware that proceeding at this time is at their own risk until such time as the 30-day appellate process from this Order has expired. If, for whatever reason, this Order is reversed, the Petitioners would be required to return, and be responsible for returning, said property to its

> garage addition to be converted to a second dwelling unit and/or apartments. The garage shall contain no living or sleeping quarters, and no kitchen or bathroom facilities.

	183			
PETITION FOR RESIDENTIAL	L VARIANCE		•	AFF

TO THE ZONING COMMISSIONER OF BALTIMORE COUNTY:

91-161-A

The undersigned, legal owner(s) of the property situate in Baltimore County and which is described in the description and plat attached hereto and made a part hereof, petition for a Variance from Section V. B. 6. b To permit a windowed will to property line setback of 2ft 2 inches anached Ech.

(In a proposed garage) in lieu of the reguired 15 ft and to amend the

first omended partial development plan of Suburbia Saction one for Lot 24 of the Zoning Regulations of Baltimore County, to the Zoning Law of Baltimore County, for the following reason: (indicate hardship or practical difficulty)

See attachment

Property is to be advertised and/or posted as prescribed by Zoning Regulations.

I, or we, agree to pay expenses of the above Variance posting and, if necessary, advertising, upon filing of this petition, and further agree to and are to be bound by the zoning regulations and restrictions of Baltimore County adopted pursuant to the Zoning Law for Baltimore County. I/We do solemnly declare and affilm, under the penalties of perjury, that I/weiare the legal WW 15I

	owner(s) of the property which is the su this Petition.	ubject of
Contract Purchaser:	Legal Owner(s): EILEEN C MISLER Relation Name 24. 12	
(Type or Print Name)	Elex Cynisles Signature	
51gnatura	(Type of Print Name)	
Address	Signature	
City/State/Zip Code	- · · · · ·	66-1813
Attorney for Patitioner:	1 BRIMLEY COURT (H) 8.	33 -556 Phone
(Type or Print Name)	REISTERSTOWN, MD 21136 City/State/Zip Code	
Signature	Name, eddress and phone number of legal owner, cont purchaser or representative to be contacted.	ract
Address	bridieser or s-t	
	Name	
Attorney's telephone number	Address	Phone of t
DEDERED by the Zoning Commissioner of Baltimore County, this petition be posted on the property on or before the May of	John low Kobert Think	patter of t
	CONTING COUNTSSIQUEN OF BALTIMORE COUNTY	1945 1946 1947 1947

A PUBLIC HEARING HAVING BEEN REQUESTED AND/OR FOUND TO BE REQUIRED,

IONING COMMISSIONER OF BALTIMORE COUNTY

of Section 307.1 of the B.C.Z.R. Furthermore, strict compliance with the B.C.Z.R. would result in practical difficulty and/or unreasonable hardship

Pursuant to the posting of the property and the provisions of

original condition.

2) Petitioners shall not allow or cause the proposed

 The proposed garage addition will be constructed in accordance with the requirements of the Department of Permits and Licenses as set forth in their comments dated November 15, 1990, attached hereto and made a part hereof. Further, the subject garage shall have proper gutters and rainspouts which are erected in such a manner as to direct all water runoff away from any adjoining residential properties.

> IDAVIT IN SUPPORT OF RESIDENTIAL ZONING VARIANCE

The undersigned hereby affirms under the penalties of perjury to the Zoning Commissioner of Baltimore County, as follows:

That the information herein given is within the personal knowledge of the Affiant(s) and Affiant(s) is/are competent to testify thereto in the event that a public hearing is scheduled in the future with regard thereto.

That the Affiant(s) does/do presently or upon settlement will reside at _____ I BRIMLEY COURT, REISTERSTOWN MD 21136

That based upon personal knowledge, the following are the facts upon which I/we base the request for for a Residential Zoning Variance at the above address: (indicate hardship or practical difficulty) see attachment

That Affiant(s) acknowledge(s) that if protest is filed, Affiant(s) will be required to pay a reposting and advertising fee and may be required to provide additional information.


Eden (misla AFFIANT (Handwritten Signature)

APFIANT (Handwritten Signature) EILEEN C. MISLER AFFIANT (Printed Name) AFFIANT (Printed Name) STATE OF MARYLAND, COUNTY OF BALTIMORE, to wit:

I HEREBY CERTIFY, this 17 H day of October 19 90, before Notary Public of the State of Maryland, in and for the County aforesaid, personally appeared

the Affiant(s) herein, personally known or satisfactorily identified to me as such Affiant(s), and made oath in due form of law that the matters and facts hereinabove set forth are true and correct to the best of his/her/their knowledge and belief.

AS WITHESS my hand and Motarial Seal.



4) Upon request and reasonable notice, Petitioners shall permit a representative of the Zoning Enforcement Division to make an inspection of the subject

JRH:bjs

property to insure compliance with this Order.

Zoning Commissioner for Baltimore County

1B-imleyes

HARDSHIP OR PRACTICAL DIFFICULTY

1.) The proposed attached garage must be placed on the right side of the property (facing the front of the house) because the left side is on the corner of the main street and there must be a 25 ft. easement as required by Baltimore County.

2.) The proposed garage is to be attached and therefore cannot be placed on the back on the property because there is no way to attach a garage that would be accessible in the back.

3.) The parking pad that will be used for the garage is currently on the right side of the house. Placing the garage on another spot would necessitate removing the parking pad and relocating it, which would make the cost prohibitive.

ZONING DESCRIPTION

Beginning at a point on the SW side of Treeline Drive (60 FT. R/W), at the intersection with the eastern most R/W line of Brimley Court (50 FT. R/W) being lot 24 of section one of Suburbia, Plat Book 59 Folio 75, also known as #1 Brimley Court in the 4th election district.

al-161-H

Baltimore County Government Zoning Commissioner Office of Planning and Zoning

111 West Chesapeake Avenue Towson, MD 21204

December 14, 1990

Ms. Eileen C. Misler 1 Brimley Court Reisterstown, Maryland 21136

RE: PETITION FOR RESIDENTIAL VARIANCE E/S Brimley Court, SW/S of Treeline Drive (1 Brimley Court) 4th Election District - 3rd Councilmanic District Eileen C. Misler - Petitioner Case No. 91-161-A

Dear Ms. Misler:

Enclosed please find a copy of the decision rendered in the above-captioned matter. The Petition for Residential Variance has been granted in accordance with the attached Order.

In the event any party finds the decision rendered is unfavorable, any party may file an appeal to the County Board of Appeals within thirty (30) days of the date of this Order. For further information on filing an appeal, please contact Ms. Charlotte Radcliffe at 887-3391.

Very truly yours,

Robert Haires /J. ROBERT HAINES Zoning Commissioner for Baltimore County

cc: People's Counsel

JRH:bjs

CERTIFICATE OF POSTING ZONING DEPARTMENT OF BALTIMORE COUNTY

91-161-4

Townen, Maryland				
District 4 th. Posted for Residential Variance	Date of Posting November 12, 19			
Petitioner: Eileen C. Misler				
Location of property 5 Y/S Treeline Prine at Brimley Court # 1 Brimley Cou Location of Signs For front of 1 Brimle	Eastern-most side of			
Location of Signs In Scent of Brimley Court	les Court			
Remarks:				
Posted by Signature	Date of return norember 16, 1990			
Number of Signs:/				

	Baltimare County Zoning Commissioner County Office Building 111 West Chesapeake Avenue Towson, Maryland 21204	
Date <		

10/29/90 PUBLIC HEARING FEES .

OBO -POSTING SIGNS / ADVERTISING 1 / TOTAL: \$50.00 LAST NAME OF OWNER: MISLER

> 04A04#D054MICHRC 8A COOF:03AH10-30-90

Please make checks payable to: Baltimore County

Baltimore County Office of Planning & Zoning Towson, Maryland 21204 (301) 887-3353 J. Robert Haines

November 7, 1990

Ms. Eileen C. Misler 1 Brimley Court Reisterstown, Haryland 21136



Re: CASE NUMBER: 91-161-A LOCATION: SW/S Treeline Drive at Eastern-most side of Brimley Court 1 Brimley Court

Dear Petitioner(s):

Please be advised that your Petition for Residential Zoning Variance has been assigned the above case number. Any contact made to this office should reference the case number. This letter also serves as a refresher regarding the administrative process.

1) Your property will be posted on or before November 21, 1990. The last date (closing date) on which a neighbor may file a formal request for hearing is December 6, 1990. Should such request be filed, you will receive notification that the matter will not be handled through the administrative process. This will mean advertising of the public hearing and reposting of the property. The public hearing will be scheduled approximately 30 - 45 days from receipt of said notice. In either case, (a) receipt of notification that you will have a public hearing or, (b) the passing of the closing date, the sign and post can then be removed from the property and returned to this office. Failure to return the sign and post will cause your Order to be held and incur a \$50.00 charge. Please be advised that the Order will not be available for you to pick-up the day you return the sign.

Assuming no neighbor has requested a public hearing, the file now enters the final review stage of the administrative process. The Zoning Commissioner must now decide whether to grant or deny the request. He also has the option to request a public hearing.

> 3) PLEASE UNDERSTAND THAT ON THE DATE AFTER THE POSTING PERIOD, THE PROCESS IS NOT COMPLETE. THE FILE MUST GO THROUGH FINAL REVIEW AND THE DECISION MAKING PROCESS. WHEN THE ORDER IS READY IT WILL BE FORWARDED TO YOU VIA FIRST CLASS MAIL. ORDERS ARE NOT AVAILABLE FOR DISTRIBUTION PRIOR TO BEING MAILED TO YOU.

> > Very truly yours,

G. G. Stephens

Towson, MD 21204

887-3353

December 6, 1990

Baltimore County Government

Zoning Commissioner Office of Planning and Zoning

Ms. Eileen C. Misler 1 Brimley Court Reisterstown, MD 21136

111 West Chesapeake Avenue

RE: Item No. 183, Case No. 91-161-A Petitioner: Eileen C. Misler Petition for Residential Variance

Dear Ms. Misler:

The Zoning Plans Advisory Committee has reviewed the plans submitted with the above referenced petition. The following comments are not intended to indicate the appropriateness of the zoning action requested, but to assure that all parties are made aware of plans or problems with regard to the development plans that may have a bearing on this case. Director of Planning may file a written report with the Zoning Commissioner with recommendations as to the suitability of the requested zoning.

Enclosed are all comments submitted from the members of the Committee at this time that offer or request information on your petition. If similar comments from the remaining members are received, I will forward them to you. Otherwise, any comment that is not informative will be placed in the hearing file. This petition was accepted for filing on the date of the enclosed filing certificate and a hearing scheduled accordingly.

IT WOULD BE APPRECIATED IF YOU WOULD RETURN YOUR WRITTEN COMMENTS TO MY OFFICE, ATTENTION JULIE WINIARSKI. IF YOU HAVE ANY QUESTIONS REGARDING THIS, PLEASE CONTACT HER AT 887-3391.

Zoning Plans Advisory Committee

Enclosures

Baltimore County Government Zoning Commissioner Office of Planning and Zoning

111 West Chesapeake Avenue Towson, MD 21204

887-3353

Your petition has been received and accepted for filing this 23rd day of October, 1990.

ZONING COMMISSIONER

Petitioner: Eileen C. Misler Petitioner's Attorney:

BALTIMORE COUNTY, MARYLAND INTER-OFFICE CORRESPONDENCE

J. Robert Haines Zoning Commissioner DATE: December 3, 1990

Pat Keller, Deputy Director Office of Planning and Zoning

SUBJECT: Edith May Souza, Item No. 166 Earlie E. and Linda R. Towe, Item No. 170 Roland H. and Darlene Farlow, Item No. 171 Kwan Woo Lee, Item No. 173 Harry E. Belsinger, et al., Item No. 175 Gary D. and Kathleen M. Stewart, Item No. 178 Dale A. and Cheryl Poletynski, Item No. 181 Bruce D. and Mary V. Frith, Item No. 182 Eileen C. Misler, Item No. 183 William M. and Constance M. Pitcher, Item No. 185 Key Federal Savings Bank, Item No. 186 Stephen D. and Wendy K. Mooney, Item No. 189 Brian D. and Tulia Briscoe. Item No. 193 Charles Henry and Vickie Jean Wallis, Item No. 195 Sharon Piaskowski, Item No. 196 Gary E. Stahl, Item No. 199 Keith E. and Terri L. Yeager, Item No. 201 Robert E. and Deborah L. Jennings, Item No. 202 Gloria P. Brown, Item No. 203 Robert E. and Karen F. Ege, Item No. 207 Javad Darbandi, Item No. 208 Thomas D. and Jeannette Considine, Item No. 209 Helen M. Yingling, Item No. 214

In reference to the Petitioners' requests, staff offers no

If there should be any further questions or if this office can provide additional information, please contact Jeffrey Long in the Office of Planning at 887-3211.

PK/JL/cmm

ITEMSMUL.TPL/ZAC1



7/11/90

Baltimore County Fire Department 700 East Joppa Road, Suite 901 Towson, Maryland 21204-5500 (301) 887-4500

NOVEMBER 21, 1990

J. Robert Haines Zoning Commissioner Office of Planning and Zoning Baltimore County Office Building

Towson, MD 21204 RE: Property Owner: EILEEN C. MISLER

#1 BRIMLEY COURT Location:

Item No.: 183

Zoning Agenda: NOVEMBER 20, 1990

Gentlemen:

Pursuant to your request, the referenced property has been surveyed by this Bureau and the comments below are applicable and required to be corrected or incorporated into the final plans for the property.

5. The buildings and structures existing or proposed on the site shall comply with all applicable requirements of the National Fire Protection Association Standard No. 101 "Life Safety Code", 1988 edition prior to occupancy. CHAPTER 22

Planning Group Approved Capt Villian J. Box.
Fire Prevention Bureau Special Inspection Division

JK/KEK

received

BALTIMORE COUNTY, MARYLAND INTEROFFICE COBRESPONDENCE

TO: Zoning Advisory Committee DATE: November 16, 1990 FROM: Robert W. Bowling, P.E.

Zoning Advisory Committee Meeting for November 20, 1990

The Developers Engineering Division has reviewed the subject sening items and we have no comments for Items 165, 166, 171, 173, 174, 179, 183, 185, 190, 191, 192, 197 and 193.

Item 184 is subject to the previous County Review Group

ROBERT W. BOWLING, F.E., Chief Developers Engineering Division

BALTIMORE COUNTY. MARYLAND INTER-OFFICE CORRESPONDENCE NOVEMBER 15, 1990



J. ROBERT HAINES, ZONING COMMISSIONER, DEPARTMENT ZONING CHARLES E. BURNHAM, PLANS REVIEW CHIEF, DEPARTMENT OF

PERMITS & LICENSES

ZONING ITEM #: 183 PROPERTY OWNER: Eileen C Misler LOCATION: SW/S Treeline Dr., at Eastern-most side of Brimley Ct. #1 Brimley Court) ELECTION DISTRICT: 4th COUNCILMANIC DISTRICT:3rd

A REVIEW OF THE SITE PLAN FOR THE ABOVE ZONING ITEM INDICATES THE

FOLLOWING: () PROPOSED SITE PLAN DOES, DOES NOT. COMPLY TO STATE CODE OF MARYLAND REGULATION 05.01.07, MARYLAND BUILDING CODE FOR THE HANDICAPPED.

() PARKING LOCATION () NUMBER PARKING SPACES

() RAMPS (degree slope) () CURB CUTS () SIGNAGE () BUILDING ACCESS

(XX) PLAN BOOKS, DOES NOT COMPLY TO SET BACKS FOR EXTERIOR FIRE SEPARATION DISTANCE OF ARTICLE 5 AND ARTICLE 9 OF THE CURRENT BALTIMORE COUNTY BUILDING CODE. Openings protected or unprotected are not permitted within 3'-0 of an interior lot line. The wall shall be 1 hr rated - The bldg code provides no XX A BUILDING PERMIT IS REQUIRED BEFORE ANY CONSTRUCTION CAN BEGIN. SECTION 111.1 OF ARTICLE 1. CONSTRUCTION DRAWINGS MAY BE REQUIRED.

> () A CHANGE OF OCCUPANCY PERMIT IS REQUIRED TO CHANGE THE EXISTING USE OF THE STRUCTURE TO THE PROPOSED USE. SEE ARTICLE THREE AND ARTICLE ONE, SECTION 103.2 ALTERATIONS MAY BE NECESSARY BY CODE TO COMPLY TO NEW USE REQUIREMENTS.

() STRUCTURE IS SUBJECT TO FLOOD PLAIN LIMITATIONS, SECTION 516.0 COUNCIL BILL #158-88 (BALTIMORE COUNTY BUILDING CODE).

OTHER - See sheet attached showing a limited number of fire rated wall

PERMITS MAY BE APPLIED FOR @ ROOM 100, 111 WEST CHESAPEAKE AVENUE, TOWSON, MARYLAND 21204 - PHONE - 887-3900.

THIS REVIEW COVERS ONLY MAJOR ITEMS ASSOCIATED WITH THE SITE PLAN, A FULL REVIEW MAY BE CONDUCTED WHEN THE PERMIT APPLICATION AND PLANS ARE

APPLICABLE CODE: 1987 NATIONAL BUILDING CODES AS ADOPTED BY COUNCIL BILL #158-88.

TYPICAL APPROVED ONE HOUR ASSEMBLIES FOR USE ON RESIDENTIAL BUILDINGS WITHIN THREE(3) FEET OF PROPERTY LINE

(NO OPENINGS ALLOWED) / EXTERIOR FINISH REQUIRED (TABLE 906,3) MASONRY WALL *

* Max. unsupported height with 6" block is 9 feet. For two Design No. U906 Bering Wall Rating-2 HR stories, block must be 8" or Nonbearing Wall Rating-2 HR. more in thickness. See 1986 CABO, Section R-404.1.

1. Concrete Blocks*—Nominal 5 by 8 by 15 in, nollow or solid.
Classification 0-2 (2 hr).
Anchor Concrete Products, Inc.
Empire Materials Co.
Florida Rock Industries, Inc.
Wiggins Concrete Products, Inc.

2. Mortan—Blocks faid in full bed of mortar, nom. 3/8 in. thick, of not less than 2-1/4 and not more than 3-1/2 parts of clean sharp sand to 1 part Portland cement (proportioned by volume) and not more than 50 percent hydrated lime (by cament volume). Vertical joints stagnared. gered.

2A. Mortar Mixture*—(Alternate to Mortar—item 2)—Not more than 130 lbs of sand and 5 gal of water to 75 lbs tone bag; of mortar mixture.

Camtech Laboratories, Inc.

3. Portland Cement Stucco or Gypsum Plaster—Add 1/2 hr to Classification if used.

"Bearing the UL Classification Marking

STEEL STUD WALLS

Bearing Wall Rating—1 or 2 HR. (See Item 5) 24%

Design No. U464

1. Floor and Ceiling Track.—Min 3-5/8 in, wide, 1-1/4 in, deep channel made from min No. 18 GSG galvanused stael attached to masonry or concrete with fasteners, spaced 24 in, 0.C.

2. Sieel Stude.—Min 3-5/8 in, wide, 1-5/8 in, deep, made from min No. 20 GSG galv stael stude. The max stud specing of wall assembly shall not exceed 24 in. The allowable load on the stude shall not exceed 34 percent of the maximum allowable axial load computed in accordance with the current edition of the Specification for the Design of Cold-Formed Steel Structural Members by the American Iron and Steel Institute. Stude attached to floor and ceiling tracks with 1/2 in, long Type S-12 pain need, self-drilling, self-zooing steel screws on both sides of stude. The stude and the track channels are Classified by Underwriters Laborationes line, as Structural Steel Members. Thermosteel Building Systems. Inc.

1. Lateral Bracing—Min 1.5 in. wide, 18 GSG gatv steel stratoging spaced max 39 in. O.C. The stratoging is attached to the flanges of each stud with 1/2 in. long Type S-12 pan head, self-dirtling, self-tapping steel screws. For interior walls, the stratoging is attached on both sides of the stude. For exterior walls, the stratoging is either attached on both sides or on the fire side only.

1. Batta and Blankets"—Any mineral glass fiber batt or blanket meterial bearing the UL Classification Narking as to fire resistance. See Batts and Blankets (BZJZ) category for names of Classified Companies. Nominally 3-1/2 in, thick, friction fitted between studs.


Wallboard, Gypeum"—5/8 in, thick, 48 in, wide, applied in one or two layers on each side of stud. stud. For I is Rating—One layer of wallboard on each side of stud. Applied vertically with joint car-For 1 h Rating—One layer of wailboard on each side of stud. Abplied vertically with joint cartand over studs. Fastened to studs and the tracks with 1 in. long. Type S-12, self-tapping,
self-drilling, wailboard screws spaced 12 in. O.C. along perimeter and in the field of the
board. Joents located over studs and staggered on opposite sides of the assembly.
For 2 h Rating—Two layers of wailboard on each side of stud. The inner layer to be applied
in the same manner as for the 1 h rating. The outer layer to be fastened to the studs and the
tracks through the inner layer using 1-5/8 in. long. Type S-12, self-drilling, self-sapping, wailboard screws specied 12 in. O.C. along permitter and in the field of the board. Vertical joints
located over studs, vertical and horizontal joints staggered from inner layer joints and on opposits sides of the essembly.

located over studs, vertical and nonzonital joints attriguered in manufacturers.

Sea Wallboard, Gypsum (CXNX) category for names of manufacturers.

Joint Tape And Compound—(Not Shown)—Vinyl or casein, dry or premised joint compound applied in two coasts to joints and screw heads. Paper tape, 2 in, wide, embedded in first layer of compound over all joints.

Searing the UL Cassification Marking



1. Floor Ceiling Runners—Channel-shaped, min. 3-1/2 in, wide with min. 1-1/4 in, legs, fabricated from min No. 20 MSG (0.038 in, thick) coated steel. Attached to floor and ceiling with steel fastaners spaced not greater than 24 in, 0.C.

2. Steel Stude—Corrosion protected steel studs, min. 3-1/2 in, wide, min. No. 20 MSG (0.033 in, thick) coated steel. Stude shall be designed in accordance with the current edition of the Specification for the Design of Cold-Formed Steel Structural Members by the American Iron and Steel Institute. All design details enhancing the structural integrity of the wall assambly, including the small leasing load of the stude, shall be as specified by the steel stud designer and/or producer and shall meet the requirements of all applicable local code agencies. The max stud spacing shall not exceed 24 in. O.C. Soud attached to floor and ceiling runners with 1/2 in, long Type S-12 par fixed or \$78 in. Song Type S-12 low profile head, self-drilling, saltapping steel screws on both sides of studs.

3. Lateral Support Members—(Not Shown)—Where required for lateral support of studs, support may be provided by means of steel straps, channels or other similar means as specified in the design of a particular steel stud wall system. may be provided by means of steel stroys. Channels of other control of superior and provided by means of steel stroys. Channels of other control of wall, any mineral design of a particular steel stud wall system.

4. Barts and Blankets—(Optional)—Placed in stud cavines to fill interior of wall, any mineral wool batt material supplied in 24 in, widths rind bearing the UL Classification Merking as to Fire Resistance, Max. thickness 3-1/2 in.

5. Furring Channels—(Optional one side or both sides) —Resilient, 25 MSG (0.021 in, thick, coated steel, Furring channels spaced vertically 24 in, O.C. flange portion attached to studs with 1/2 in, long Type 5-12 pan head, self-dilling, self-tapping steel screws.

6. Wellboard, Gypsum"—1/2 in, thick, 4 ft. wide, Waltboard applied vertically or horizontally in two layers, inner layer attached to studs with 1 in, long self-dilling, self-tapping, Phillips head two screws spaced 24 in, 0.C. at joint adjes and in the 3 in, long self-dilling, self-tapping screws spaced 12 in, 0.C. at the joint adjes and in the field. Outer layer joints to be staggered 24 in, from inner layer joints and covered with joint tage and two coats of joint compound. Screwheads covered with two coats of joint compound. As an alternate, nominal 3/32 in, thick gypsum veneer plaster may be applied to the entire surface of Classified veneer baseboard. Joints reinforced.

